

ICAR-Central Citrus Research Institute

(Formerly National Research Center For Citrus) Opp. NBSS&LUP, Amravati Road, Nagpur-440 033 Tel.Phone:0712-2500249,2500615 Fax:0712-2500813.



Date: 01/12/2025

Website: ccri.icar.gov.in, E-mail:director.ccri@icar.gov.in,storesectionccri@gmail.com

GST No:-27 AAAAI1830P4ZG

F.No: Store/RRCC/Steam sterilization Unit/24-25

NOTICE FOR INVITING OPENE-Retender THROUGH C.P.P.Portal

Online bids are invited from eligible and qualified bidders including CPWD, State Govt. PWD, Govt. Undertakings/Corporations/ Construction Agencies/ Public Sector Agencies, Public Works Organizations and Government Authorized Reputed firms, Private reputed firms for the open e-tender in Central Public Procurement Portal (CPPP) for "Steam Sterilization unit cover and shed and soil solarization platform at ICAR-CCRI, RRCC, Biswanath Chariali, Assam" under two bid system (Technical and Financial).

CRITICAL DATESHEET (Section)

Tender No.	Store/RRCC/Steam sterilization Unit/24-25
Name of the Organization	ICAR-CCRI, Nagpur
Tender ID No.	
Date and Time for Issue/Publishing Time	01.12.2025 at 5.00 pm.
Document Download/Sale Start Date and Time	01.12.2025 at 5.00 pm.
Document Download/Sale End Date and Time	10.12.2025 at 5.00 pm
Bid Submission Start Date and Time	01.12.2025 at 5.00 pm.
Bid Submission End Date and Time	10.12.2025 at 5.00 pm
Date and Time for Opening Bids(Technical)	13.12.2025 at11.00 am
Address for Communication	Administrative Officer, ICAR-CCRI, Amravati Road Nagpur-440033

The open tender enquiry document contains nineteen pages (including XI ANNEXURES).

Annexure-I: Instructions for Online Bid Submission on CPPP

Annexure-II: Detailed Instruction for Online Bid Submission on

CPPP

Annexure -III: General Terms and Conditions

Annexure-IV: Important Terms and Conditions Annexure -V: Technical

Bid

Annexure -VI: Financial Bid

Annexure-VII: Tender Acceptance Letter Annexure -VIII: Bank Detail

Annexure- IX: Price Bid Undertaking Annexure-X: No black-listed Certificate Annexure-XI: Performance

Statement

IMPORTANT NOTES:-

- 1. The tender form/bid documents may be downloaded from the website: https://eprocure.gov.in/eprocure/app.OnlinesubmissionofBidsthroughCentralPublicProcurement Portal (https://eprocure.gov.in/eprocure/app) is mandatory. Manual submission of bids/ offline shall not be accepted in any case. Upload the bids after completing in all respect in the eprocure.gov.in portal as per guidelines mentioned in the portal by or before the due date & time.
- 2. Bids received on CPP portal only will be considered. Bids in any other form sent through sealed cover/email/post/fax etc. will be rejected.
 - **3.** All the documents in support of eligibility criteria etc. are also to be scanned and uploaded online along with the Tender documents.
- **4.** Tenderers/ bidders are requested to visit the website: (https://eprocure.gov.in/eprocure/app) regularly. Any changes/modifications in tender enquiry will be intimated by Corrigendum through this website only.
- 5. In case, any holiday is declared by the Government on the day of opening, the tenders will be opened on the next working day at the same time. This Centre reserves the right to accept or reject any or all the tenders in part /full without assigning any reason thereof.
- 6. Earnest Money Deposit: The interested firms are required to submit (in original) Bid Security (EMD) in the form of Demand Draft from any commercial Bank in favor of "ICAR Unit, CCRI payable at Nagpur. The demand drafts should be submitted on or before last date/time of bid submission by speed post or registered post only. Online Bids shall not be considered in case the Earnest money is not submitted before the closing date of tender. The bid security (EMD) will not bear any interest and the bid security (EMD) of unsuccessful tenderer would be refunded without any interest after finalization of the tender.
 - a) Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the tenderer fails to observe and comply with stipulation made here in or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.
 - b) The Firm who are registered with National Small Industries corporation (NSIC)/ OR Small Scale Industries (SSI) are exempted to submit the EMD (Copy of registration must be provided along with technical bid).
 - c) No claim shall lie against the ICAR-CCRI in respect of erosion in the value or interest on the amount of EMD.
 - d) The EMD, in case of successful bidders shall be returned after submission of performance security and in case of unsuccessful Bidders, shall be retained by the Purchaser, up-to a maximum period of 6 months from the date of opening of the bids or till the finalization of the tender, whichever is later. The bid security shall be refunded to the unsuccessful tenderers on written request. No interest will be payable by the ICAR-CCRI authorities on the EMD.

The interested Firms are required to deposit (in original) an Earnest Money Deposit (EMD) of Rs. 1,00,000/- (Rs. One lakh only) in the form of Demand Draft and shall be addressed to Director, ICAR-CCRI, Amravati Road Nagpur-440033. If bidders are exempted by GOI for submission of EMD tender document fee, then this has to be stated Clearly and certificate in this effect has to be mandatorily submitted. Envelope containing DD's should be super scribed in bold "EMD FOR " Steam Sterilization unit cover and shed and soil solarization platform at ICAR-CCRI, RRCC, Biswanath Chariali, Assam" The bid without EMD will be summarily rejected. Upload scanned copy of EMD Demand Drafts with Technical Bid online.

- 7. Financial bid will be opened only of those firms which qualify technical bid.
- 8. The Bid Security(EMD) will be forfeited in the following conditions:
 - a. If any stage, any of the information/declaration given by the bidder is found false.
 - b. If a bidder withdraws his bid during the period of bid validity specified in terms and conditions of tender.
 - c. In case of any lapse/default in honoring of terms and conditions at any stage after submitting the tender.
 - d. In case of final selection of bidder, if he fails to enter into the contractor fails to furnish Performance Security in accordance with the terms and conditions of the tender.

Sd/-Administrative Officer

INSTRUCTIONSFORONLINEBIDSUBMISSIONONCPPP

- 1. For Online Bid Submission as per the directives of Department of Expenditure, this tender document Public Procurement been published the Central Portal has on (URL:http://eprocure.gov.in/eprocure/app). The bidders are required to submit copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. More information useful CPP submitting the online bids the Portal is available/ for on obtained URL:http://eprocure.gov.in/eprocure/app.Manual/offline bids shall not be accepted under any circumstances.
- 2. Bidders are required to enroll on thee-Procurement module of the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app) by clicking on the link Click here to Enroll. Enrolment on the CPP Portal.
- 3. Foreign Bidders have to refer "DSC details for foreign Bidders" for Digital signature Certificates requirements which comes under Download Tab at http://eprocure.gov.in/eprocure/app?page=Standard Bidding Documents & service=page and the remaining part is same as above and below.
- 4. The intending Tenderer, in case of Authorized Dealer shall possess valid authorized dealership license and Authorization Letter of Govt. of India/State Government. The tenderer shall enclose the copy of the same as PDF file along with technical bid of e-tender while submitting the tender.
- 5. While submitting the tender, if any of the prescribed conditions are not fulfilled or are incomplete in any form, the tender is liable to be rejected. If any tender estipulate any condition of his own, such conditional tender is liable to be rejected.
- 6. Director, ICAR-CCRI, Nagpur reserves the right to reject any tender/bid wholly or partly without assigning any reason.
- 7. The Technical Committee/TAC constituted by the Director, ICAR-CCRI, Nagpur shall have the right to verify the particulars furnished by the bidder independently.
- 8. Tenderer shall take in to account all costs/charges/taxes of materials (polysheet/ shadenet/ screws/ pipes/ foggers etc) including delivery of material, deployment of workers and "Steam Sterilization unit cover and shed and soil solarization platform" is required for Set up of soil sterilization unit needed for nursery purpose at site i.e. ICAR-CCRI, RRCC, Biswanath Chariali, Assam". In this regard no claim for any extra payment for any reason shall be entertained.
- 9. The services should be delivered at ICAR-CCRI, RRCC, Biswanath Chariali, Assam and the supplier shall be responsible for any damage during the transit of goods.
- 10. All the tender documents &price bid to be uploaded as per this tender are to be digitally signed by the bidder.
- 11. All the communications with respect to the tender shall be addressed to: The Director, ICAR- CCRI, NAGPUR-440033

DETAILED INSTRUCTION FOR ONLINE BID SUBMISSION ON CPPP

A) Instructions for Online Bid Submission

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in).The</u> bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal. More information useful for submitting online bids on the CPP Portal may be obtained at: http://eprocure.gov.in/eprocure/app.

B) Registration

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll" on the CPP.
- 2. As part of the enrolment process, the bidders will be required to choose a unique user name and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sift / TCS / nCode / eMudhra etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6. Bidders then log in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

C) Searching for tender documents

- There are various search options built in the CPP Portal, to facilitate bidders to search active
 tenders by several parameters. These parameters could include Tender ID, organization
 name, location, date, value, etc. There is also an option of advanced search for tenders,
 wherein the bidders may combine a number of search parameters such as organization
 name, form of contract, location, date, other keywords etc. to search for a tender published
 on the CPP Portal.
- 2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

- 1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with100 dpi with black and white option.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

E) Submission of bids

- Bidder should login to the site well in advance for bid submissions that he/she uploads the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents in the tender document.
- 3. The Bidder should prepare the EMD as per instructions specified in the tender document. The Original should be posted latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 4. A standard Financial Bid (Annexure-VI) format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bid in the format provided and no other format is acceptable. The bidders are required to download the format for Financial Bid and fill the particulars necessary details and submit/upload the same duly signed/stamped.
- 5. The server time (which is displayed on the bidder's dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bid sis maintained using the secured Socket Layer128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7. The uploaded tender documents must become readable only after the tender opening by the authorized bid openers.

8.	Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission":
	in the portal), the portal will give a successful bid submission message & a bid summary will be
	displayed with the bid no. and the date & time of submission of the bid with all other relevant
	details.

9. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

Sd/-Administrative Officer

GENERAL TERMS AND CONDITION

- 1. **PURCHASER and CONSIGNEE:** The Director, ICAR-CCRI, Amravati Road, Nagpur.
- PERIOD AND VALIDITY OF CONTRACT: Ninety days after award of contract or time period scheduled for completion of repair work vide work order to the successful bidder. The contract can be terminated at any moment of contract period/ any time by giving one-week prior notice in writing on account of any of the following reasons.
 - i. On account of unsatisfactory performance
 - ii. Breach of contract clauses(s)/terms and conditions.
- 3. FIRM & FIXED RATES: Prices should be quoted on a firm & fixed price basis. Request for enhancement of contracted rates shall not be considered under any circumstances. Tenders with variable prices or seeking provision for enhancement of prices/contracted rates shall be rejected straight away without any consideration. In case of award of contract, the rates approved by ICAR-CCRI will remain firm & fixed throughout the period of contract agreement.
- 4. **NON TRANSFERABILITY:** This tender is non-transferable.
- 5. **TERMS&CONDITIONS:** Terms & Conditions as set out in this Tender Document shall have to be complying with, by the tendering firm. Offers not complying with such terms & conditions shall be ignored/ rejected at the discretion of the Authority.
- 6. **PERFORMANCE SECURITY:** The successful tenderer shall deposit **Rs.2,20,000** (**Rs. Two Lakhs Twenty Thousand Only**) (in lump-sum) in form of fixed deposit receipt or bank guaranty form any nationalized bank duly pledged in the name of the "Director, ICAR-CCRI, Nagpur" which shall be kept for a period of 180 days beyond completion of all the contractual obligations. Security deposit has to be submitted within 15 days of award of contract which will be refunded after satisfactorily completion of the Liability Period. If the services are not performed satisfactorily or terms and Conditions of contract agreement are violated the performance security is liable to be forfeited and if the tenderer withdraws or amends impairs or derogates from the tender in any respect within the period of validity of his tender the performance security is liable to be forfeited. No interest will be paid on performance security. Security Deposit shall be released after 'Defects liability Period' of Six months from date of completion of repair works. During the defects liabilities period', The contractor shall repair/replace any item of work found defective within ten days of intimation failing which the defective work will be got repaired /replaced at the risk and cost of the contractor through any other agency.
- 7. PRESCRIBED FORMS: Online bids under two bid systems (Technical bid and Financial bid) through e- procurement in the format prescribed (ANNEXURE-V, Technical bid & ANNEXURE-VI, Financial bid) in this tender document shall only be considered. Offers not received in prescribed format shall be ignored and no correspondence in this regard will be entertained. The tender sent by Courier/Registered post/Telegraphic/Telex/Fax/ Email will not be accepted and ignored straightaway.
- 8. **AUTHORIZED SIGNATORY/ SIGNING OF TENDER:** Individual signing the tender or other documents connected with contract must specify the capacity in which the tender documents are digitally signed as:
 - a. "a sole proprietor" of the concern or constituted at to rnay of such sole proprietor;

- b. a partner of the firm, if it be a partnership firm, in which case he must have authority to execute contracts on behalf of the firm and to refer to arbitration disputes concerning the business of the partnership either by virtue of the partnership agreement or by a power of attorney duly executed by the partners of the firm.
- 9. A PARTNER OF THE FIRM: If it is partnership firm in which case he must have authority to execute the contracts on behalf of the firm and to refer to arbitration disputes concerning the business of the partnership either by virtue of the partnership agreement or by a power of attorney duly executed by the partners of the firm. For Partnership firms
 - Whether registered under the Indian Partnership Act, 1932 please state further whether by the partnership agreement to arbitration has been conferred on the partner who has signed the Tender.
 - a. If answer to the above is in negative whether there is any general power of attorney executed by all the partners of the firm authorizing the partner who has signed the Tenders to refer dispute condemning business of the partnership to arbitration.
 - b. If the answer to above is in point one and two the affirmative please furnish a copy of either the partnership agreement or the general power of attorney as the case may be. The copy should be attested by a Notary Public or its execution would be admitted by affidavit on a properly stamped paper by all partners.
 - c. Director or a principal officer duly authorized by the Board of Directors of the Company, if it is a company.
- 10. A person signing the tender form or any document forming part of the tender on behalf of another person should have an authority to bind such other person and if, on enquiry it appears that the person so signing had no authority to do so CCRI, Nagpur may without prejudice, cancel the contract and hold the signatory liable for all costs, consequences and damages under the civil and criminal remedies available.

11. BIDS EVALUATION:

- a. Bids shall be submitted in the prescribed form at and all columns may be filled up. Incomplete proposals and tenders received after due date shall not be entertained. The Institute shall not be responsible for any delay in online bid submission and delay in receipt of the EMD. Any bids received by the Institute which does not fulfill the desired terms and conditions shall be rejected out rightly and no communication in this regard shall be sent.
- b. Quotations qualified by such vague and indefinite expression such as "Subject to prior confirmation", "Subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly. Any conditional tender shall be rejected summarily.
- c. Financial Bids will be open for only those bidders whose Technical Bids qualifies. Tenderer is at liberty to be present or to authorize are presentative to be present at the time of opening of the tenders. The representative attending the opening of the tender on behalf of the tender should bring with him a letter of authority from the tenderer and proof of identification.
- d. Mere Participation in the tender does not ensure business of any quantum, what so ever and doesn't bind this centre to place work order. Any deviation from the Terms & Conditions mentioned above will imply disqualification for the firm.
- 12. **SUBBMISSION OF BIDS:** The tenderer should digitally sign and affix his firm's stamp at each page of the tender and all its annexure as the acceptance of the offer made by tenderer will be deemed as a contract. **NO PAGE SHOULD BE REMOVED/ DETACHED FROM THIS NOTICE INVITING TENDER**. The rates should be quoted as per the Financial Bid format /BOQ format uploaded on the CPP Portal. Rates quoted should be inclusive of all taxes (including GST). It must be noted that the contract shall be awarded to the firm which fulfils all the required specifications, terms and conditions, qualify the technical bid and remains L-1.

- 13. **DELIVERY AND LIQUIDATED DAMAGES**: Work order has to be fulfilled within 90 days of issue of work order. Repair will have to be completed within 90 days or period mentioned in the purchased order. The liquidated damages charges @ 0.5% per week of the total value of work order, as a consequence of the delay, shall be imposed if service made after expiry of delivery period subject to maximum 10% of the total value of goods/contract value. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challenge able by the supplier. Place of work (F.O.R) at ICAR-CCRI, Nagpur-440033.
- 14. RISK PURCHASE: If successful tenderer fails to repair/ execute work order within the stipulated date specified in our Tender Document/ work order; Director, CCRI, Nagpur reserves the right procure same services or equivalent material from alternative sources at the vendor's risk, responsibility and cost. Any extra cost incurred in the procurement of the material/service from alternative source will be recovered from the Security Deposit/Bank Guarantee and Pending Bills and if the value of the materials under risk purchase exceeds, the amount of Security Deposit and / or Bank Guarantee and Pending Bills, the same may be recovered if necessary by due legal process.
- 15. THE PAYMENT CLAUSE: The bill in triplicate may be sent to this office for settlement after satisfactory execution of work order. The bill should have full particulars of the items (s). Payment will be made only after satisfactory certificate of the indenter along with the the works committee of the institute regarding quality and quantity of repair work / work performed. No payment shall be made in advance nor shall the loan from any bank for financial institutions be recommended on the basis of the order of award of work. No payment will be made against execution of partial order. The firm shall submit the bill only after the execution of work to the satisfaction of the ICAR-CCRI Nagpur. No payment will be made from goods /services rejected. The bills to be submitted in triplicate in GST prescribed proforma with details of CGST, SGST and IGST rates, amount and GST number.
- 16. BREACH OF TERMS AND CONDITIONS: In case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to cancel the work order/job without assigning any reason thereof and nothing will be payable by ICAR-CCRI, Nagpur in that event the security deposit shall also stands forfeited.
- 17. **LEGAL JURISDICTION:** The agreement shall be deemed to have been concluded in Nagpur, and all obligations hereunder shall be deemed to be located at Nagpur, Maharashtra and Court within Nagpur, Maharashtra will have Jurisdiction to the exclusion of other courts.
- 18. CCRI (O) RIGHTS: The Director, ICAR-CCRI, Nagpur reserves the right to reject any tender/all tenders in full or part thereof without assigning any reasons. If any dispute (s) arises between ICAR-CCRI, Nagpur and the firm with reference to the contract; ICAR-CCRI, Nagpur will decide it and its decision will be binding on the firms.
 - 19. **LEGAL CONTRACT:** The supplier shall execute a legal contract agreement along with undertaking in duplicate on stamp paper of appropriate value (charges to be borne by the supplier), immediately after the receipt of the award letter but not later than by 15 days of the date of issuance of award letter. The subsequent matter will be got typed on non-judicial stamp papers of Rs. 100/-. Each page of this contract agreement should be duly stamped & signed by the authorized signatory of the firm. A copy of power of attorney in respect of the authorized signatory, that he is authorized to sign the contract on behalf of the firm, is also to be attached with the contract agreement. All disputes are subject to the exclusive jurisdiction of competent Courts and Forums in Nagpur only.

Note:-Contract agreement is to be signed at ICAR-CCRI, Nagpur. Contract agreement by post shall not be entertained

- 20. **BIDS VALIDITY:** Bids shall be valid for 03 months from the date of opening of tender.
- 21. FORCE MAJEURE CLAUSE: The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event Of Force Majeure. For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods. Epidemics, quarantine restrictions, strikes, lockout or any act of war. Notice of the happening of any such event is given by either party to the other within 15 days from the date of occurring thereof. However either party at its discretion can terminate the contract in such cases.
- 22. The Director, ICAR-CCRI, Nagpur reserves the right to conclude parallel Contracts with a number of suppliers and place Orders on any of such firm that may be the most economical to it or suitable to its requirements.

NOTES:

- (i.) In case of partnership firms, a copy of the partnership agreement, or general power of attorney duly attested by a Notary Public, should be furnished on stamped paper duly sworn or affirmed by all the partner admitting execution of the partnership agreement or the general power of attorney. The attested copy of the certificate of registration of firm should also be enclosed along with the tender.
- (ii.) In case of partnership firms, where no authority to refer disputes concerning the business of partnership firm has been conferred on any partner, the tender and all other related documents must be signed by all partners of the firm.
- 23. Each Bidder shall submit only one Quotation.
- 24. Income tax will be deducted from the total bill of the executing firm/contractor as per govt. Rate. As per 3(1) and 3(2) of the Building and & other construction workers welfare Cess act 1996 (BOCW) cess amount 1% shall be payable by the successful bidder. The bill for payment on successful completion of work shall be submitted along with the receipt of submission of labor cess.
- 25. Only those firms/contractors registered with Central Government/ State Government of Maharashtra/CPWD/Railways/MES /PWD/PSU/Any Other Govt Organization need apply.
- 26. The bidders have to enclose / upload the photo copy of the documents viz Registration Number with Central Government/State Government of Maharashtra/CPWD/MES/Railways registration details, Pan no/copies of the IT returns for the previous three years, Tin no. /GST registration No./labour registration no./experience in executing similar works in the last 5 years along with Technical Bid.

Sd/-Administrative Officer

General Terms and Conditions

- Applicants registered under NSIC & MSME are exempted to pay Earnest Money Deposit. Valid documentary proof must be attached. Only manufacturers for goods are eligible for exemption from EMD
- 2. Income Tax returns for last 5 financial years (2020-21, 2021-22,2022-23, 2023-24 and 2024-25) must be attached
- 3. GST/TIN registration certificates must have been closed
- 4. The participating firm must have ISO 9001:2015 &14001:2015 certificates
- 5. Drawings of proposed modification of structures should be attached with technical bid
- 6. The participating Company should have minimum average turnover of Rs. 2.5 Crore every year in last five financial years (2020-21, 2021-22,2022-23, 2023-24 and 2024-25) in this specialized area Construction/Installation of Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform or Hi-tech Green House/Poly House or Screen house or Glass house and which should be reflected by submission of profitable audited balance sheets. Documentary evidence in the form Certificate from the Chartered Accountant must be attached.
- 7. Participating company/firm should have at least 10 years' experience for Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform or Hi-tech Green House/Poly House or Screen house or Glass house etc. (copy of 10 orders/ work completion certificate) for the same must be submitted
- 8. The bidder needs to submit an undertaking regarding acceptance of terms & condition.
- 9. The site visit is mandatory for all bidders. They are advised to visit and examine the site and obtain all necessary information required for preparing their bids. The bidder must also obtain a Site Visit Certificate from the AO, ICAR-CCRI during the visit and submit this certificate along with the other tender documents.
- 10. Tenders should be submitted in two bid system i.e. technical bid and price bid. Price bid shall be open of those firms who have qualified in technical bid.
- 11. Notarized undertaking from the bidder that the firm is never black listed from any of the government organization/department/ PSU.
- 12. List of Clients (by manufacturer) should be enclosed for reference, so that our technical committee could visit site
- 13. The bidders must have to send the samples of Polycarbonate Sheet, Insect Net, SS mesh, GI Pipe before the time of bid opening. Without submission of samples, bid will not be taken into consideration.
- 14. Implements/ materials required for the above work should be provided by the contractor. The firm has to make their own arrangements for accommodation/food for the labourers. Then contractor shall pay all compensations etc., including accident compensations due to their labourers. The Institute will not be responsible for any claim by the labourers engaged by the firm.
 - 15. 2% of the total contract value will be charged if water & electricity is provided by this Institute.
- 16. The Director, ICAR-CCRI, Nagpur, does not bind himself to accept the lowest or any other tender and reserves right to reject any or all of the tenders received without assignment of any reason. All

Tenders, in which any of the prescribed conditions are not fulfilled or are incomplete in any respect, are liable to be rejected.

- 17. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be rejected.
- 18. The successful tenderer has to complete the work as detailed in the schedule to Tender based on the work order.
- 19. The Institute will not be responsible for any loss or damage in transit. Insurance if any required has to be done by the contractor at his own cost.
- 20. Materials to be purchased and test for various items of works to be carried as per State Government/ CPWD specifications or ISI standards.
- 21. The agency to whom work has been awarded will be the principal employer for the labour force. This Institute will have no liability in this regard. The agency will have to a bid terms and conditions laid down by Central/ State Govt. in respect of various Labour Laws/ Acts/Rules like Minimum Wages, Provident Funds, ESI, Contract Labour Act and other Labour Laws/Acts/Rules in force from time to time athis own cost. In case of violation of any such statutory provisions under Labour Laws or any other law applicable by the Tenderer, there will not be any liability on the CCRI.
- 22. The labourers engaged should strictly follow the discipline and decorum of the Institute and agency will be liable for any loss or damage caused by them to the Institute property. The Institute will not be held responsible for payment of any compensation to the labourer engaged by him for any sort of injury/fatality etc. ICAR-CCRI will not be responsible for the security of materials/implements of contractor.
- 23. Implements/ materials required for the above work should be provided by the contractor. The firm has to make their own arrangements for accommodation/food for the laborers. Then contractor shall pay all compensations etc., including accident compensations due to their laborers. The Institute will not be responsible for any claim by the laborers engaged by the firm.
- 24. Time of completion of work to be adhered to strictly. Specification and particulars of work order regarding repair work will be adhered strictly. No changes/ Extra work/ Un ordered repair work will be made by the party without prior approval of Director, CCRI in writing. If made so, then no payment for such changes/ extra work will be made by CCRI and no such claim will be entertained in any circumstance.
- 25. During the defects liability period/warranty period, the contractor shall replace/repair/modify as directed any or all defects/defective materials/workmanship at contractor's own risk and cost, to the entire satisfaction, within Ten days of issue of a written notification in this regard failing which the same shall be got done through any other agency and cost recovered from amounts due to the contractor/firm.
- 26. The Bidders (Registered Firms/Contractors) should have filed IT Returns. Copies of the IT returns for the last three financial years should be enclosed along with the Tender (Technical Bid).
 - 27. Inspection:

- 1. The Director, ICAR-CCRI, Nagpur shall be the final authority to reject full or any part of the service which is not confirming to the specification and other terms and conditions.
- 2. No payment shall be made for rejected Stores/ Services. Rejected items must be removed by the Bidders within two
 - (02) Weeks of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice.
- 28. The ICAR-CCRI, Nagpur reserves the right to place an order for supply of any items mentioned in the Financial Bid or otherwise, to any other firm(s) in emergency/unavoidable situation.
- 29. Freight, insurance charges, if any will be borne by the supplier, similarly shortage; pilferage in transit will be sole responsibility of the supplier. The defective supply or service will have to be replaced by the supplier within 30 days without additional freight / transport charge.
- 30. Order will be placed as per requirement; irrespective of contract agreement and contract agreement doesn't ensure any minimum value of work order.
- 31. Repairing should be made in full against the order and shortage will be procured from other supplier on the risk and cost of the original supplier. Part supply and partial execution of work order will not be admissible i.e no payment will be made against part work. This tender doesn't include supply and repair of any equipment or any construction.
- 32. Applicant/ Bidder should have at least 10 years' experience for Construction/Installation of Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform or Hi-tech Green House/Poly House, Screen house, Glass house, etc. (copy of 10 orders/ work completion certificate) for the same must be submitted.
- 33. Bidder should have completed Participating company/firm should have at least 10 years' experience for Construction/Installation of Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform **or** Hi-tech Green House/Poly House **or** Screen house **or** Glass house etc. **(**copy of 10 orders/work completion certificate) for the same must be submitted.

34.

35. The participating Company should have minimum average turnover of Rs. 2.5 Crore every year in this specialized area (Construction/Installation of Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform or Hi-tech Green House/Poly House or Screen house or Glass house) in last five financial years (2020-21, 2021-22,2022-23, 2023-24 and 2024-25) and which should be reflected by submission of profitable audited balance sheets. Documentary evidence in the form Certificate from the Chartered Accountant must be attached.

Sd/-Administrative Officer

Annexure-V

SI. No	Particulars	Attached Yes or No	Page No.
1.	Name of the Firm, Address and Telephone No. of the Tenderer		
2.	Full Bankers Details with IFSC Code.		
3.	EMD of Rs.1,00,000/-DD No. & Scanned copy of draft for EMD		
4.	Scanned copy of the documents Registered with Government of India/ Government of Sikkim/CPWD/MES/Railways etc		
5.	Copy of TAN/PAN Card.		
6.	GST/TIN registration certificates must been closed		
7.	Applicant should have: Bidder should have completed Participating company/firm should have at least 10 years experience for Construction/Installation of Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform or Hitech Green House/Poly House or Screen house or Glass house etc. (copy of 10 orders/ work completion certificate) for the same must be submitted. 1. Successfully completed or substantially completed similar works (construction/repair of Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform or Screen House/polyhouse) during last five years, ending last day of month previous to the one in which applications are invited should be either of the following: The participating Company should have minimum average turnover of Rs. 2.5 Crore every year in last five financial years (2020-21, 2021-22,2022-23, 2023-24 and 2024-25) and which should be reflected by submission of profitable audited balance sheets. Documentary evidence in the form Certificate from the Chartered Accountant must be attached. 2. During last three years to any Central/State Govt Organization/PSU / Public Listed Company. Copies of contracts/ work orders and documentary evidence of successful execution/completion in support of Past Experience of Similar Services along with names, address and contact details of clients shall be uploaded with the bid for verification by the Buyer. (Similar work concepts means Construction of Hi-tech Green House/ Poly House, Screen House, Glass house, etc. (Copy of 10 orders/work completion certificate) for the		
	same must be submitted.		
٥.	Income Tax returns for last 5 financial years (2020-21, 2021-22,2022-23, 2023-24 and 2024-25) must be attached		
9.	Profit and loss account & Balance Sheet which are audited & duly		
10.	certified by the Chartered Accountant for the last three years. Annual financial turnover of bidder should be minimum Rs.3.0 Crore and above for last 5 years, (Copy of P/L duly attested by CA)		
11.	MSME exemption certificate/Earnest Money Deposit is compulsory.		
	Whether the Firm's has been blacklisted by any of the Department/Organizations of the Government of India/ or any other state Govt. and any criminal case is pending against the said firm as per (ANNEXURE-X)		
13.	Price Bid Undertaking(ANNEXURE-IX)		
14	Sole properties/Partner or Partnership Firm (Attach necessary		
	document)		
15.	Tender Acceptance letter (MANDATORY)(ANNEXURE-VII)		

16.	Bank Detail (ANNEXURE-VIII)		
	Details of Litigation, current or during last three years in which the		
	Bidder is involved and disputed amount in each case.	ļ	
	Details of Existing commitments and ongoing works		
19.	Evidence of access to financial resources to meet the requirement of working capital: cash inhand, lines of credit etc		
20.	Civil & Structural drawings should be attached with technical bid		
21.	The participating firm must have ISO 9001:2015 &14001:2015 certificates		
	The bidder needs to submit an undertaking regarding acceptance of terms & condition.		

This is to certify that I/We have carefully read the contents of the tender document and\ fully understood to all the terms and conditions there in and undertake myself/ourselves to abid by the same.

Place Name of the Firm Signature of the Tenderer Date Seal of the Firm Name of the Signatory

Note: - The information required atserialno. 1 to 23 must be uploaded with the certified copies of the document, and attached as per the serial number failing which the tender is liable to be rejected. No other document needs to be uploaded with the tender form.

FINANCIAL BID (SPECIFICATIONS FOR Construction of Steam Sterilization Unit with Cover Shed and Soil Solarization Platform_AT ICAR-CCRI, RRCC, Biswanath Chariali, Assam

ABSTRACT

Sr No	Civil work Item	DSR CPWD Item No	QTY	Unit
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	2.8.1	70.56	One Cubic M.
2	Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15cm to 20cm thick including hand packing & compacting etc complete.		17.36	One Cubic M.
3	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete. Concrete of M15 grade with minimum cement content of 240 kg/cum	4.20.1. 2	27.70	One Cubic M.
4	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level: 1:1.5:3 M-20 (1 cement: 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources)	5.1.2	44.09	One Cubic M.
5	Filling in plinth with moorum		45.30	One Cubic M.
6	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :1:1.5:3 M-20 (1 cement : 1.5 coarse sand(zone-III) derived from natu ral sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	5.2.2	5.33	One Cubic M.
7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo Mechanically Treated Bar of Grade Fe-500D or More	5.22.6	4408.50	KG

8	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo Mechanically Treated Bar of Grade Fe-500D or More	5.22a.6	798.90	KG
9	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	5.9.1	123.122	One Sq.
10	Lintels, beams, plinth beams, girders, bressumers and cantilevers	5.9.5	97.35	One Sq. M
11	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in Cement mortar 1:6 (1 cement : 6 coarse sand)	6.4.2	1.32	One Cubic M.
12	Providing Autoclaved Aerated Concrete Block masonary of conforming to IS:2185 (Part 3) - 1984 in extra fine jointing mortar of fixoblock of UltraTech or equivalent insuperstructure including striking joints, raking out joints and scaffolding etc. Complete. (The test shall be carried out conforming to IS:6441 (Part I) - 1972)	27.15	25.72	One Cubic M.
13	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	13.1.1	327.85	One Sq.M
14	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content.With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre: Two coat	13.85.3	327.85	One Sq.
15	Wall painting with acrylic emulsion paint, having VOC content less than 50grams/ liters, of approved brand and manufracture,including applying additional coats wherever required, to achieve even shade and colour :one coat	13.82.1	327.849	One Sq. M
16	Providing and fixing in position. (as per I.S.1868 / 1982) Aluminium sliding window of two tracks with rectangular pipe having overall dimension 63.50 x 38.10 x 1.02 mmat weight 0.547 Kilogram/One Running Metre. and window frame bottom track section 61.85 x 31.75 x 1.20 mm at weight 0.695 Kilogram/One Running Metre. Top and side track section 61.85 x 31.75 x 1.30 mm at weight 0.659 Kilogram/One Running MetreThe shutter should be of bearing bottom 40 x 18 x 1.25 mm at weight 0.417Kilogram/One Running Metre. Inter locking section 40 x 18 x 1.10 mm at weight 0.469 Kilogram/One Running Metre. And handle section 40 x 18 x 1.25 mm at weight 0.417Kilogram/One Running Metre. and top section 40 x 18 x 1.25 mm at weight 0.417 Kilogram/Running metre. As per detailed drawings and as directed by Engineer in charge with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self locking catch fitted in vertical section of shutterincluding 5 mm thick plain glass with all required screws and nuts etc, complete. With colour Anodising with box.		6.48	One Sq. M

17	Providing structural steel work in trusses, other similar trussed purlins and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting fixing in position, Making riveted/bolted/ welded connection and one coat of anticorrosive paint and over it 2 coats of oipainting approved quality and shade etc. complete.	3.58	One Metric Tonne
18	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding	180.00	KG
19	Providing and fixing H.D.P container one piece moulded water tank made out of high density polythyler and built corrugated inclusive of delivery up to destination hoisting and fixing of accessories such as inlet,outlet overflow pipe inclusive of all tanks capacity between 200 to 1000 liters	3000.00	One Litre
20	Providing and fixing colour coated Zincalume (R) AZ150 (min 150 gms/sq.mt. total on each side) profiled sheets for roofing. The feed material is manufactured out ofnominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy(55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality super durable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25 um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 9501050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center- to-center. The end rib shall be designed for anticapillary groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. Including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/ One Square Metre)	84.162	One Square Meter
21	Providing and fixing rolling shutter fabricated from steel laths of minimum thickness 0.9 mm with lock plate of 3.15 mm thickness reinforced with 35 x 35 x 5 mm angle section fitted with sliding bolts and handles for both sides, deep M.S. channel section of depth and thickness not less than 65 mm and 3.15 mm respectively with hold fast arrangements, M.S. Bracket plate 300 x 300 x 3.15 mm minimum size and shape with square bar, suspension shaft of minimum 32 mm diameter, hood cover of M.S. sheet not less than 0.9 mm thickness and of any size at top and safety devices including mechanical gear operation arrangement consisting of worm gear wheels and worms of high grade cast iron or mild steel and one coat of red lead primer etc. complete. (I.S. 62481979) (With mechanical gear)	5.76	One Square Meter

22	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent ement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.Concealed work, including cutting chases and making good the walls etc.15 mm nominal dia Pipes	18.8.1	10	One Running Meter
23	20 mm nominal dia Pipes	18.8.2	10	One Running Meter
24	32 mm nominal dia Pipes	18.8.4	10	One Running Meter
25	Providing and fixing C.P. BIB cock with wall flange of approved make includingnecessary sockets/ union nut etc. complete.	18.15.1	6	One Number
26	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:(a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer	17.7.1	4	One Number
27	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.PVC PIPE 110 mm diameter.	12.41.2	80.00	One Running Meter
28	75 mm diameter	12.41.1	12.00	One Running Meter
29	Providing and fixing heavy duty inter locking concrete Rubber mould glossy paving blocks of 80 mm thickness of having a strength of 400 Kilogram/Sq.cm. of approved quality and shape on a bed of crushed sand of 25 to 30 mm thick including skirting joints and cleaning etc. complete. (using 100% crushed sand)		68.66	One Square Meter
	Electrical work items			
30	Supplying and erecting PVC trunking (PVC casing-n-capping) of size 20 mm with accessories on wall/ceiling as per specification No: WG-MA/CON.	1-2-6	50	Metre
31	Supplying and erecting PVC trunking (PVC casing-n-capping) of size 40 mm with accessories on wall/ceiling as per specification No: WG-MA/CON.	1-2-9	20	Metre
32	Supplying and erecting mains with 2x2.5 sq.mm FRLSH copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places. as per specification No: WG-MA/BW	1-3-2	40	Metre
33	Supplying and erecting mains with 2x4 sq.mm FRLSH copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places. as per specification No: WG-MA/BW	1-3-3	40	Metre

34	Supplying and erecting mains with 2x6 sq.mm FRLSH copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places. as per specification No: WG-MA/BW	1-3-4	100	Metre
35	Supplying and erecting modular type switch 6A / 10A duly erected on provided plate and box with wiring connections complete.	1-6-1	5	Each
36	Supplying and erecting modular type switch 16A duly erected on provided plate and box with wiring connections complete.	1-6-2	5	Each
37	Supplying and erecting modular type D.P. switch 32A with indicator, duly erected on provided plate and box with wiring connections complete.	1-6-8	2.00	Each
38	Supplying and erecting modular type 3 pin 6 / 16A multi socket with safety shutter, duly erected on provided plate and box with wiring connections complete.	1-6-11	5.00	Each
39	Supplying and erecting PVC Surface modular switch box with double mounting & front plate for 8 module complete duly connected.	1-6-31	2	Each
40	Supplying and erecting PVC Surface modular switch box with double mounting plate for 12 module duly erected.	1-6-32	3	Each
41	Supplying, erecting & marking FPMCB 6A to 32A, with rated short - circuit breaking capacity (Icn) 10kA in provided distribution board as per specification no. SW-SWR/MCB	5-3-12	2	Each
42	Supplying and erecting LED square / circular Max. 7W down lighter/ Panel Light having pressure die-cast aluminium housing, polystyrene diffuser having system lumens output of Min. 770 Lumens, min. efficacy of 110 lumen/W, CRI>80, CCT upto 6500K, Beam Angle of 120 deg., max. ripple of 5%, THD<10%, p.f. >0.95, operating range of 120-270V, surge protection of 2.5 kV, Life class of 50,000 Hrs. at L70B50, including driver, having mounting arrangement with board for surface type or spring loaded mounting clips complete with 3 years warranty.	2-1-2	18	Each
43	Supplying and erecting LED square / circular Max. 25 W down lighter/ Panel Light having pressure die-cast aluminium housing, polystyrene diffuser having system lumens output of Min. 2750 Lumens, min. efficacy of 110 lumen/W, CRI>80, CCT upto 6500K, Beam Angle of 120 deg., max. ripple of 5%, THD<10%, p.f. >0.95, operating range of 120-270V, surge protection of 2.5 kV, Life class of 50,000 Hrs. at L70B50, including driver, having mounting arrangement with board for surface type or spring loaded mounting clips complete with 3 years warranty.	2-1-6	5	Each
44	Supplying and erecting regular/ standard model ceiling fan of 1400mm. sweep complete erected in position as per specification no. FG-FN/CF	2-10-3	4	Each

45	Supplying & fixing anchor type fastener fan hook, with 2 nos. of 10 mm dia x 75 mm long with necessary materials for ceiling fan.	2-11-2	4	Each
46	Providing & Fixing Soil Sterilzation Unit with 820 Litre capacity, with working pressure 2.0-2.5 Kg, working temperature 120° to 135 °C, and chamber fabricated with SS 304 with round corner, safety valve, pressure gauge both sides covered with 50 mm thick resin bonded glass wool & clad with SS 304 sheet, SS 304 door and maintain skin tempearture of the machine below 55°C. Including all required accessories & electrical work, as per directed by Engineer In Charge		1	One Job
47	Providing & Fixing Steam Generator having capacity 36KW heater provides below the chamber will generate and provide dry saturated steam to jacket and chamber through steam dryer with including SS pipe for steam circulation with detachable system, as per directed by Engineer In Charge		1	One Number
48	Providing & Fixing Controller and Sensor to the Sterlization unit with Digital temperature controller and A class temperature RTD sensor with pressure sensor, all sensor will connected to main controller to opearte the system automatically on set / required temperature, as per directed by Engineer In charge		1	One Number
49	Providing & supplying SS 304 grade Trolly of size 1800x1200x750mm with 400 mm wheels including frabrication, painting and etc, as per directed by Engineer Incharge		2	One Number
50	Carrying out testing BASIC TEST OF CONCRETE Compressive Strength OF C.C. Cube (Set of 3 cubes).		2.00	Test
51	Carrying out testing BASIC TEST OF STEEL BAR TESTING Upto 16 mm (Set of 3 Bars) (Tensile strength, %, Elongation, Yield Stress, Weight-Per Meter, Bend / Rebend Test, Proof Stress.)		2.00	Test

GST extra@18%

Sd/-Administrative Officer

Note:

- 1. The said work is for different Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform, for which the TOTAL requirement (quantity) has been mentioned above.
- 2. 15% of requirement may increase or decrease as per the discretion of Director, ICAR-CCRI, Nagpur
- 3. Theprices/ratesquotedshouldbeindicatedinwordsaswellasinfigures.Incaseofany discrepancy, lower amount / rates shall be considered as valid.
- 4. Rates quoted should be inclusive of cost of materials (Polysheet/shadenet/screws etc) and labor/fitting/fixing charges; carriages/freight/insurance what soever, storage, watch& ward, wastages etc and inclusive of all duties, taxes and other levies payable by the contractor.
- 5. The quoted rates shall not be varied under any circumstance.
- 6. Rates quoted should be inclusive of GST. No claim/ extra charges will be applicable/ entertained over the above quoted rates in any case/ circumstance.
- 7. This tender does not include any type of construction/civil works or supply of instrument/ equipment (machinery fitted in Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform, Screen house/polyhouses).

ANNEXURE-VII

(Signature of the Bidder, with Official Seal)

TENDERACCEPTANCELETTER (To be given on Company Letter Head)

To,		_	<u> </u>	Date:
		- - -		
Ter	o: Acceptance of Terms & on the contract of th			
 1. 2. 3. 4. 5. 	from the web site(s) name given in the above mention I /We here by certify that from Page No: 1 to 19 (in of the contract agreementherein). The corrigendum(s) issue taken into consideration, I/We here by uncondition /corrigendum(s) in its total I / We do hereby decl Department/Public sector I /We certify that all information is found to be shall without giving any	ed website(s). I / we have read the notice of the submitting this ally accept the tender ally accept the tender that our Firm rundertaking. I mation furnished by the incorrect/untrue or notice or reason the ce to any other right.	entire terms and condits like annexure(s), sche hereby by the terms / by your department/ of acceptance letter. or conditions of above mas not been blacklisty our firm is true& confirmation of cound violated, then yerefore or summarily reserved.	pove mentioned 'Tender/ Work as per your advertisement itions of the tender documents nedule(s), etc., which form part conditions / clauses contained organization too has also been nentioned tender document(s) sted/ debarred by any Govt. rect and in the event that the your department/ organization eject the bid or terminate the total the forfeiture of the full said
	in addition to taking any reliver agree that in the evidecision of Director, ICAI I/We agree to supply the description, specification that we agree to all other delivery, period of delivery	remedial measures to rent of any dispute of R-CCRI, Nagpur and e above goods/repail and other technical of er terms and condite ery and warranty pro- quiry and attached the	o recover loss caused by redifference out of this his decision shall be fir services. We confirm details as required in the lons of your tender encovision. We have furnite relevant documents.	e EMD may be forfeited by you by such failure of undersigned often, I/We shall abide by the nal and binding on me/us. It that the same will meet the e tender enquiry. We confirm equiry including the terms of ished all the information, as We confirm that our offer will tenders.
	Witness: a)	······································		Yours faithfully,

b).....

INDIAN COUNCIL OF AGRICULTURAL RESEARCH CENTRAL CITRUS RESEARCH INSTITUTE. NAGPUR-440033

mame of tr	ne Firm/Contractor/Entrepreneur	
Registered	d / Postal Address:	
1.	E-mail Address	
2.	PAN No.	
3.	GST Number/TIN Number, if applicable	
4.	Sales Tax/Service Tax Registration No., if applicable	
5.	Bank details:	
	i) Bank Name	
	ii) Branch Address	
	iii) Account Number	

Name of the Authorized Signatory Stamp & Signature

PRICEBID UNDERTAKING

From	: (Full Name and Address of the Bidder)							
To,	Cir							
Dear 1.	,	and related						
	Activities as envisaged in the Bid docume	nt.						
2.	2. I have thoroughly examined and understood all the terms and conditions as contained in the Bid document (including Annexure- I to XI), and agreed to abide by them for the Contract.							
3.	I offer to work at the rates as indicated in t	he price Bid.						
4.	4. We agree to supply goods/ provide repair service. We confirm that the same will meet the description, specification and other technical details as required in the tender enquiry.							
5.	We confirm that we agree to all other terms and conditions of your tender enquiry including the terms of delivery, period of delivery and warranty provision.							
6.	We have furnished all the information, as required in the tender enquiry and attached the relevant documents. (In case a tenderer desires to put some additional/modified stipulations, terms and conditions etc. the same may be clearly indicated).							
7.	We confirm that our offer will remain valid tenders.	I for acceptance for 90 days after the date of opening of						
	Witness: a)	Yours faithfully,						
	b)	(Signature of the Bidder, with Official Seal)						

NON BACKLISTED CERTIFICATE

(Letter to the CCRI on the vendor's letter head)

To,	
Director	
ICAR-CENTRAL CITRUSRESEARCH INSTITUTE	Ξ,
Nagpur-440033	

Sub: Your tender for Construction of Steam Sterilization Unit With Cover Shed and Soil Solarization Platform at ICAR-CCRI, RRCC Bishwanath Chairali, Aassam.

Dear Sir,

Date:			
Witness: a)	Yours faithfully,		
b)	(Signature of the Bidder, with Official Seal)		

Performance Statement

(Shall be submitted by the bidder in their letter head)

Name and Address of the Organization	Order No. & Date	Value of Order	Date of Effect and completion Of Contract	Nature of Work	Rem arks(if any)

Signature and Seal of the Bidder **Business Address:**

Signature Not Verified

Digitally signed by YOGESH JAYSING JADHAO
Date: 2025.08.21 16:04.06 IST
Location: eProcure-EPROC